

**Patient package insert in accordance  
with the Pharmacists' Regulations  
(Preparations) - 1986**

Non-prescription medicine

# SPIRIT SALICYL 2%

Liquid

## FLORIS

**Composition:**

**Active substances and its concentration:**

Salicylic acid 2%

**For the list of the inactive substances:**

See Section 6 "Additional information".

**Read the insert carefully to the end  
before using the medication.**

This insert contains abridged information  
on the medicine.

If you have further questions, consult  
your doctor or pharmacist.

Use the preparation correctly.

Consult your pharmacist if you require  
additional information.

**1. What the medicine is used for ?**

This medicine is indicated for skin  
disinfection and scaling skin.

**Therapeutic Group** - Keratolytic prepara-  
tion from the salicylate group

**2. Before using the medicine**

**X Do not use the medicine:**

- If you are sensitive (allergic) to the active substance or to any of the additional ingredients contained in the medicine. For the list of the inactive substances - see Section 6 "Additional information"
- Do not apply to a large skin area, wounded skin, vitiligo, birthmarks and hairy warts

**I Special warnings concerning use  
of the medicine:**

- Avoid contact with the eyes, mucous membranes. In case of such contact, rinse thoroughly with water.
- Do not use concomitantly with skin drying preparations such as alcohol-based preparations, soaps or preparations for acne.
- Do not light a cigarette or expose yourself to an open flame until the preparation is fully dried.

**I Before treatment with Spirit Salicyl 2%,  
tell your doctor if:**

- If you suffer from diabetes.
- If you are sensitive to any food or medicine.

**I If you are taking, or recently took,  
other medicines, including over the  
counter medicines and dietary  
supplements, inform your doctor or  
pharmacist.**

Do not use concomitantly with skin drying  
preparations such as alcohol-based  
preparations, soaps or preparations for acne

**I Pregnancy and breast-feeding:**

If you are in the first/last trimester of  
pregnancy or if you are breast-feeding,  
consult your doctor or pharmacist before  
using the medicine.

**I Use on children:**

The medicine is not generally indicated  
for children and infants under two years  
of age. Parents must inform the attending  
physician of any side effect and any other  
medicine being taken by the child.

**Important information about some  
of the ingredients of the medicine:**

Contains alcohol, flammable substance.

**3. How to use the medicine?**

Ask your doctor or pharmacist if you are not sure.

**The recommended dosage unless  
otherwise instructed by the doctor:**

Rinse and dry the skin. Apply to the skin with  
cotton wool imbibed with the medicine, 1-3  
times a day.

**Do not exceed the recommended dosage.**

**Do not swallow.** For external use only.

If you have taken an overdose or if a child  
has accidentally swallowed the medicine, go  
immediately to a doctor or a hospital  
emergency room and bring the medicine  
package with you.

Do not take medicines in the dark!

Check the label and the dose each time you  
take your medicine. Wear glasses if you need  
them. If you have further questions  
concerning use of the medicine refer to your  
doctor or pharmacist.

**4. Side Effects:**

As for any medicine, the use of Spirit Salicyl  
2% may cause side effects in some users.

Do not be alarmed by the list of side effects.

You will probably not suffer from any of them.

**Stop treatment and refer to your doctor:**

- Inflammation or local irritation (rare).

**Other Side Effects:**Rash.

If one of the side effects becomes more  
serious, or you suffer from a side effect not  
mentioned in the insert, consult your doctor.  
You can report side effects to the Ministry of  
Health through the online form for reporting  
side effects that you will find on the  
homepage of the Ministry of Health website:  
[www.health.gov.il](http://www.health.gov.il)

or by entry to the link:

<https://forms.gov.il/globaldata/getsequence/getsequence.aspx?formType=AdversEffectMedic@moh.gov.il>

**5. How to store the medicine?**

**• Avoid poisoning!**

This medicine, and all other medicine, must  
be stored in a safe place out of the reach of  
children and/or infants, in order to avoid  
poisoning.

Do not induce vomiting unless explicitly  
instructed to do so by the doctor.

- Do not use the medicine after the expiry date  
appearing on the package.

The expiry date refers to the last day of that  
month.

- Store in a cool place, below 25°C.
- Close tightly to prevent entry of air  
and damp.
- Warning! Flammable substance, keep away  
from fire.
- Store in the original package.
- You can use the product after opening until  
expiry of its validity.

**6. Additional information**

**In addition to the active substances the  
medicine also contains:**

Alcohol 96 %, Purified water .

**Appearance of the medicine and contents  
of the package:**

Clear alcohol solution.

Contents: 100 ml.

**Manufacturer and Reg. Owner:**

Ben-Shimon Floris Ltd., Misgav Industrial  
Park, D.N. Misgav 2017400.

**This leaflet was inspected and approved**

**by the Ministry of Health on:** 12/2013.

Registration No. of the medicine in the  
National Drug Register of the Ministry of  
Health: 609227486