101080005/03

PATIENT PACKAGE INSERT IN ACCORDANCE WITH THE PHARMACISTS' REGULATIONS (PREPARATIONS) - 1986

Read this package insert carefully in its entirety before using this medicine

The format of this leaflet was determined by the Ministry of Health and its content was checked and approved by it

ALKASOLVE

Coated Tablets

Composition:

Each coated tablet contains: Sodium Citrate 300 mg Potassium Citrate 330 mg

Inactive ingredients:

Powder Cellulose, Sodium Starch Glycolate, Magnesium Stearate, Colloidal Silicon Dioxide, Quinoline Yellow Lake E104, Eudragit L 12.5, Talc, Castor Oil

Therapeutic activity:

For alkalizing urine, treating and preventing the formation of calcium-containing stones and crystals in the kidney.

When should the preparation not be used?

Do not use this medicine if you are sensitive to any of its ingredients.

Warnings:

Do not take this medicine without consulting a doctor. Administer carefully to patients who suffer from cardiac

Administer carefully to patients who suffer from cardiac insufficiency, hypertension, heart or kidney patients.

Patients suffering from adrenal gland dysfunction and also dehydrated patients - must have constant medical supervision. Patients who live under extreme climatic conditions must be careful when taking this medicine.

During treatment with the medicine, make sure to drink plenty of fluids.

If you are sensitive to any type of food or medicine, refer to your doctor.

Drug interactions:

If you are taking another drug concomitantly or if you have just finished treatment with another medicine, inform the attending

doctor, in order to prevent hazards or lack of efficacy arising from drug interactions.

Side effects:

In addition to the desired effect of the medicine, adverse reactions may occur during the course of taking this medicine.

Side effects that require special attention:

Nausea, skin rash with irritation, etc. - stop taking this medicine and consult the attending doctor and he/she will instruct you as to whether you should continue treatment.

In the event that you experience side effects not mentioned in this leaflet, or if there is a change in your general health, consult your doctor immediately.

Dosage:

9-16 coated tablets per day, 2-3 tablets at one time, or according to doctor's instructions.

The tablets can be halved or crushed right before swallowing. Do not store halved or crushed tablets.

Take the medicine with a lot of water, preferably after a meal. Do not exceed the recommended dosage.

Avoid poisoning!

This medicine, and all other medicines, must be stored in a safe place out of the reach of children and/or infants, to avoid poisoning. If you have taken an overdose, or if a child has accidentally swallowed the medicine, proceed immediately to a hospital emergency room and bring the package of the medicine with you.

Do not induce vomiting unless explicitly instructed to do so by a doctor!

<u>Do not take medicines in the dark!</u> Check the label and the dose <u>each time</u> you take your medicine. Wear glasses if you need them

Storage:

Close firmly to prevent penetration of air and humidity.

Medicine or remnants of the medicine that remain after treatment should be destroyed.

Even if kept in their original container and stored as recommended, medicines may be kept for a limited period only. Please note the expiry date of the medicine! In case of doubt, consult the pharmacist who dispensed the medicine to you. Do not store different medications in the same package.

License number: 028-09-21247

Manufacturer: Sam-On Ltd., 25 Ha-avoda Street, Bat-Yam.