Dr. Fischer®
MEDICAL

CELLUSPAN®

STERILE EYE DROPS

Patient package insert in accordance with the Pharmacists' Regulations (Preparations) 1986.
The dispensing of this medicine requires a doctor's prescription.
Read this leaflet carefully in its entirety before using this medicine.
The format of this bulletin was determined by the Ministry of Health who has reviewed and approved its content.

Composition: Active ingredient: Hydroxyethylcellulose 1.4%.

Non Active Ingredients: Purified Water, Sodium Chloride, Disodium EDTA, Benzalkonium Chloride, Sodium Borate.

Therapeutic Activity: For diagnostic use in the eye.

When this preparation should not be used:

Do not use this preparation if you have a known sensitivity to any of its ingredients.

Warnings: The product contains the preservative Benzalkonium Chloride that could be absorbed by soft contact lenses. This product should not be used if you wear soft contact lenses. The lenses should be removed before using the product and should only be replaced 15 minutes following application of the medication to the eyes.

Side Effects: Apart from the desirable activity of this drug, sides effects might appear such as local irritation or inflammation, in which case you should immediately consult your doctor. Anytime you experience side effects that are not listed in this leaflet or if you feel any change in your general health, consult your doctor immediately.

ATTENTION: Do not swallow! This medicine is intended for external use only.

Dosage and Directions: For use by the attending physician only.

This medicine has been prescribed for your condition, in another patient it may cause harm. Do not give this medicine to your relatives, neighbours or acquaintances.

Avoid Poisoning! This medicine and all other medicine, must be stored in a safe place out of reach of children and/or infants, to avoid poisoning. If you have taken an overdose, or if a child has accidentally swallowed the medicine, proceed immediately to a hospital emergency room and bring the package of the medicine with you. **Do not induce vomiting** unless explicitly instructed to do so by a doctor!

Do not take medicines in the dark! Check the label and dose **each time** you take your medicine. Wear your glasses if you need them.

Storage: Store up to 25°c. Close firmly to prevent penetration of air and humidity. Once this medication has been opened it should not be used for more than one month. Even if kept in the original container and stored as recommended, medicine may be kept for a limited period only. Please note the expiry date of the medicine! In case of doubt consult the pharmacist who dispensed the medicine to you. Do not store different medication in the same package.

Licence No. 587723763.
Fischer Pharmaceutical Labs. (1975) Ltd. P.O.B. 39071, Tel-Aviv 61390

390875 0112

ד"ר פישר – זה בָּדוּק