PATIENT PACKAGE INSERT IN ACCORDANCE WITH THE PHARMACISTS' REGULATIONS (PREPARATIONS) - 1986 This medicine can be sold without a doctor's prescription

Gaviscon Peppermint tablets

nd their quantity:

Sodium alginate 250 mg Sodium bicarbonate 133.5 mg Calcium carbonate 80 mg

*List of excipients and allergens in the medicine - ple section 6 in the leaflet. ad this entire leaflet carefully before you start using this edicine. This leaflet contains concise information about the edicine. If you have any further questions, ask your doctor or

macks, in you have any futured questions, ask you occur or macks, in medicine is given without a doctor's prescription. This icine is intended for use in adults and children over 12 years ge, under this age, refer to your doctor. Use it in the correct ner. Consult your pharmacist fry on need additional information, r to your doctor if the symptoms of your illness get worse or do myprove within 7 days.

1. What is the medicine used for?

For the treatment of gastro-oesophageal reflux symptoms, such as acid regungitation, hearburn and indigestion (related to reflux), for example, following meals or during pregnancy, or in patients with the reflux descriptions related to reflux descriptions related to reflux descriptions. Therapeutic group: reflux suppressants.

2. Before you take the medicine:

On not use the medicine if you are hypersensitive (allergic) to the ctive ingredients or to any of the other ingredients of the medicine see section 6 in the leaflet), as rare cases of breathing difficulties and skin rash have been documented. Special warnings regarding the use of the medicine:
Each lablet contains approximately 61.5 mg sodium and
approximately 80 mg calcium. If you need to limit the amount
of sodium or calcium in your diet, consult your doctor before using
the medicine.

edicine contains aspartame, which is the origin of lanine and prohibited to phenylketonuric patients. Please tell your doctor or pharmacist if you are taking any other medicines, including non-prescription drugs and nutrition supplements. Wait at least two hours between taking this medicine and taking other oral medicines as this medicine can interfere with the activity of the other medicines.

Pregnancy and breastfeeding: You can use the medicine if you are pregnant or breastfeeding, however, as in any other medicine, reduce the duration of treatment as much as possible.

3. How to use this medicine
Check with your doctor or pharmacist if you are not sure. The medicine is intended for oral use only, chew well before swallowing. Medicine is intended or or all use only, chew well before Usual dosage is: Adults and children over 12 years of age: 2-4 chew after a meal and before bedtime. This medicine is usually not intended for children and in 12 years of age.

have accidentally taken a higher dosage you may pated. It is unlikely to cause you any harm, nevertheless, with your doctor or pharmacist. have taken an overdose or if a child has accidentally led the medicine, proceed immediately to a doctor or a it emergency room and bring the package of the medicine hospi you forget to take this medicine at the specified time, do of take a double dose. Take the next dose at the regular time and opsult your doctor.

4. Side effects:
Like all medicines, the use of Gaviscon peppermint tablets may cause side effects is some patients. Do not be alemed while reading the list Side effects, you may not suffer from any of them.
Step the use of the medicine and refer to your doctor immediately in case of an allergic reaction such as: skin rash, riching, breating difficulties, dizziness or swelling of the face, lips, tongue and threat, These effects appear vely rarely.

any of the side effects appears, if any of the side effects worsens, r if you experience side effects not mentioned in this leaflet, onsult your doctor.

5. How to store the medicine

- Avoid poisoning! This medicine, and all other medicines, must be stored in a safe place out of the sight and reach of children and/or infants, to avoid poisoning. Do not induce overhildren unless explicitly instructed to
- Do not use the medicine after the expiry date (exp. date) stated on the carton package. The expiry date refers to the last day of that month.
 - Storage conditions: do not store at a temperature over 30°C.
 Store in original package.

6. Additional information:

In addition to the active ingredients, this medicine also contains -Mannitol, Macrogol 20,000, Copovidone, Peppermint flavour, Magnesium stearate, Acesulfame potassium, Aspartame

Each tablet contains 3.75mg aspartame, approximately 61.5mg sodium and approximately 80mg calcium.

The medicine does not contain sugar or gluten.

What does the medicine look like and what does the backage contain:

off white to cream slightly mottled tablets. The package contains 16, 36 or 48 chewable tablets. Not all package sizes are marketed. Registration holder: Reckitt Benckiser (Near East) Ltd., Hanagar 6, Hod HaSharon, 45240.

Manufacturer: Reckitt Benckiser Healthcare (England), Dansom ane, Hull, England.

This leaflet was check in 08/2014. d and approved by the Ministry of Health

Drug registration number at the national medicines registry of the Ministry of Health: 141-58-31757-00 ets PIL PB0914-05