

Droncit Spot-On veterinary

Solution for the treatment of tapeworm in cats.

Active ingredient: Praziquantel 20 mg/0.5 ml

Inactive ingredients: N-methylpyrrolidone, Butylhydroxytoluene

General:

For the treatment of tapeworm in cats.

The package contains 4 tubes, each containing a solution of Praziquantel (equivalent to 20 mg Praziquantel per tube).

Therapeutic group: For the treatment of parasitic worms.

Instructions for use:

To be applied once a month, or when symptoms of tapeworm infestation appear.

The lowest dose is 8 mg/kg bodyweight, equivalent to 1 tube per 2.5 kg bodyweight. The number of tubes to be used depends on the cat's weight.

<u>Bodyweight</u>	<u>No. of tubes</u>
-------------------	---------------------

1 – 2.5 kg	1
------------	---

>2.5 - 5 kg	2
-------------	---

>5 kg	3
-------	---

1. Remove a tube from the pack and pull the cap upwards.
2. Reverse the cap and place it back on the tube.
3. Twist the cap to break the seal, and remove it from the tube.



4. Part the cat's fur at the back of the neck at the base of the skull until the skin is visible.



5. Place the tip of the open tube directly on the exposed skin and squeeze it a few times, directly onto the skin.

When using more than one tube, allow the content of the previous tube to be absorbed into the skin before an additional tube is applied. It is particularly important to apply the solution to an area where the cat cannot lick it. Correct placement will reduce the possibility that the cat will lick the solution. The product has a bitter taste and may cause salivation if the cat licks the treated area immediately after treatment. This salivation is not a sign of poisoning, and disappears by itself, without treatment, within a few minutes.

Tapeworm infestation is certain to recur if intermediate hosts such as fleas, mice, and so forth are not controlled.

Treatment against fleas: Flea infestation can be treated by the regular use of effective flea control preparations.

Mice control: If the cat roams and hunts, it is not possible to prevent contact with mice and re-infestation with *Taenia taeniaeformis*, and it is recommended to re-treat with Droncit Spot-On whenever there are signs of tapeworm infestation, or to carry out regular monthly treatment.

Warnings:

For external use only. Not to be given orally.

Not for use in cats weighing less than 1 kg.

Do not allow cats that have recently been treated to groom each other.

Occasionally there may be a transient local reaction after treatment, such as scurf or mild exudation at the treatment site.

The preparation has a bitter taste, and salivation may be seen if the cat licks the application site immediately after treatment. This is not a sign of poisoning, and disappears after a few minutes.

If signs of disease appear, consult your veterinarian.

Reporting side-effects:

Side effects can be reported to the Ministry of Health by clicking on the link "Adverse Drug Reactions Report" that appears on the home page of the Ministry of Health web site (www.health.gov.il), which leads to an online form for reporting side effects. Alternatively you can use the following link:
[/https://sideeffects.health.gov.il](https://sideeffects.health.gov.il)

Precautions for the caregiver:

This preparation may irritate the skin and eyes; avoid direct contact with the skin and eyes.

If contact with the skin occurs, wash well immediately with soap and water.

If there is accidental contact with the eyes – flush thoroughly with water.

If the skin or eye irritation persists – seek medical advice and show the doctor this preparation packaging.

Do not eat, drink, or smoke during treatment.

Wash hands thoroughly after treatment.

Do not stroke or comb the cat until the site of the treatment is dry (usually about one hour after application).

General warnings:

Keep out of reach of children.

Store away from food, drinks, and animal feed.

Do not use after the expiry date.

After use, the closed and empty containers can be disposed of with the household refuse.

The solvent in this preparation may stain certain materials, including leather, fabrics, plastics, and finished surfaces. Allow the treated area to dry before allowing contact with such materials.

Further information:

In order to prevent re-infestation with tapeworms, infecting entities such as fleas and mice must be neutralized.

For veterinary use only, requires a prescription from a veterinarian.

Store at room temperature, not above 30°C.

Medicine registration no.: 082 77 92332

Registration owner:

VETMARKET LTD., 23 HACHORESH WAY, INDUSTRIAL PARK MODI'IN REGION

Manufacturer: ELanco Animal Health GmbH, Germany

Revised on 4.2024