

## חברת תרו מבקשת להודיעכם כי העלון לצרכן של התכשירים Sevelamer ו- Sevelamer Taro 800 mg עודכן בנובמבר 2021.

בהודעה זו מצוינים רק הסעיפים בהם נעשו שינויים מהותיים בעלון. תוספות סומנו בצבע אדום והן בהתאם לתנאי הרישום.

העלון המעודכן נשלח למשרד הבריאות לצורך פרסומו במאגר התרופות שבאתר משרד הבריאות:  
[www.health.gov.il](http://www.health.gov.il) וניתן לקבלו מודפס על ידי פנייה לבעל הרישום:  
תרו אינטרנשיונל בע"מ, רחוב הקיטור 14, ת.ד. 10347 מפרץ חיפה 2624761.

### Sevelamer Taro 800 mg

מרכיב פעיל:

sevelamer carbonate anhydrous 800mg

ההתוויה המאושרת לתכשיר:

For the control of hyperphosphataemia in adult patients receiving haemodialysis or peritoneal dialysis.

Also indicated for the control of hyperphosphataemia in adult patients with chronic kidney disease not on dialysis with serum phosphorus  $\geq 1.78$  mmol/l.

Should be used within the context of a multiple therapeutic approach, which could include calcium supplement, 1,25-dihydroxy Vitamin D3 or one of its analogues to control the development of renal bone disease.

### Sevelamer Taro 2.4 g

מרכיב פעיל:

sevelamer carbonate anhydrous 2.4 gram

ההתוויה המאושרת לתכשיר:

For the control of hyperphosphataemia in adult patients receiving haemodialysis or peritoneal dialysis.

Also indicated for the control of hyperphosphataemia in adult patients with chronic kidney disease not on dialysis with serum phosphorus  $\geq 1.78$  mmol/l.

Should be used within the context of a multiple therapeutic approach, which could include calcium supplement, 1,25-dihydroxy Vitamin D3 or one of its analogues to control the development of renal bone disease.

השינויים בעלון לצרכן:

#### 1. למה מיועדת התרופה?

התרופה מיועדת ל:

תרו אינטרנשיונל בע"מ

הקיטור 14,

ת.ד. 10347, מפרץ חיפה 2624761

טל: 04-8475700

פקס: 04-8727165



- איזון רמות זרחן גבוהות בדם בחולים מבוגרים, המטופלים בדיאליזה (המו-דיאליזה או דיאליזה צפקית (פריטוניאלית)).
  - איזון רמות זרחן גבוהות בדם בחולים מבוגרים עם מחלת כליות כרונית, אשר אינם מטופלים בדיאליזה, עם רמות של 1.78 מילימול ומעלה של זרחן בדם.
- יש להשתמש בתרופה בשילוב עם טיפולים נוספים, כגון תוספי סידן וויטמין D, כדי למנוע מחלת עצם על רקע כלייתי.