

Pressurized container: Do not pierce or burn, even after use.

Protect from sunlight. Do not expose to temperatures exceeding 25°C.  
Keep out of the reach of children.

Toxic in swallowing, toxic in contact with the skin, toxic in inhalation, causes severe irritation to the eyes.

May cause drowsiness or dizziness.

Suspected of damaging fertility or the unborn child.

In the case of ingestion, immediately contact the National Institute for Poison Information at the Rambam Health Care Campus or to the doctor.

In the case of contact with the eyes, carefully wash with water for several minutes.

Remove contact lenses if any and if they can be removed easily and continue to wash.

• **Additional precautions:**

Extremely flammable aerosol

• **Use during pregnancy, lactation or lay:**

The product can be safely administered to pregnant and lactating animals.

• **Interactions with other medicinal products and other forms of interaction:**

None known.

• **Overdose:**

Not applicable.

• **Incompatibilities:**

None known.

**11. Storage instructions:**

• Prevent poisoning! This medicine and any other medicine should be kept in a safe place out of the reach and sight of children and / or infants and thereby prevent poisoning.

• Do not use this medicine after the expiry date (exp. date) that appears on the package. The expiry date refers to the last day of that month.

• **Storage conditions:**

Store below 25°C. Protect from light.

• After first opening of the package, the product can be used up to exp. date written on the package.

**12. Special precautions for the disposal of unused veterinary medicinal product or waste materials derived from the use of such products:**

Any unused veterinary medicinal product or waste materials derived from such veterinary medicinal products should be disposed as toxic waste. Do not dispose in sewage.

**13. FURTHER INFORMATION:**

• **In addition to the active ingredient the product also contains:**

Magnesium Chloride; Patent Blue; Polypropylene Glycol; Purified Water; Monoethanolamine; Povidone; Isopropyl Alcohol; Methanol 1:1

• **Pharmaceutical form:**

A blue opaque solution, Cutaneous Spray.

• **Packaging size:**

140g pressurised aluminium can filled with nitrogen gas (no Oxygen).

• **Registration holder:**

Abic Veterinary Products Ltd.,  
2 Hanegev Street, Airport City 7019900

• **Manufacturer:**

Norbrook Laboratories Limited,  
Station Works, Camlough Road, Newry,  
Co. Down, BT35 6JP, Northern Ireland, UK.

Revised in January 2025 according to MoH's guidelines

**Registration number of the medicine in the National Registry of the Ministry of Health:**  
081-27-92217-00

**1. NAME, FORM AND STRENGTH OF THE VETERINARY MEDICINE:**

**Alamycin Aerosol Veterinary, topical spray, 32.1 mg/ml**

**2. ACTIVE INGREDIENTS**

Oxytetracycline Hydrochloride 32.1 mg/ml

Each 140g aerosol can contain:

Oxytetracycline Hydrochloride 5 gr (3.6% w/w)

Contains Patent Blue V (E 131) 0.33% w/w as a marker dye.

For a full list of excipients, see section 13 "further information".

**3. Indications for use**

Oxytetracycline is indicated for the treatment in wide range of gram positive and gram negative bacterial pathogens. Alamycin Aerosol is indicated for the treatment of foot rot and topical infections caused by organisms sensitive to oxytetracycline in sheep.

**Therapeutic Group:** Tetracycline antibiotic

**4. Contraindications**

Do not use in animals with known hypersensitivity to the active substance.

**5. Adverse reactions (frequency and seriousness)**

None known.

Side effects can be reported to the Ministry of Health by clicking on the link "Reporting adverse events due to drug treatment" found on the home page of the Ministry of Health website ([www.health.gov.il](http://www.health.gov.il)) which refers to the online form for reporting adverse events, or by entering the link: <https://sideeffects.health.gov.il/>

**6. Target Species:**

Sheep

**7. Amounts to be administered and administration route:**

For Topical use.

For the treatment of foot rot, clean and expose the affected area prior to administration.

Wounds should be cleaned prior to administration.

**8. How to use the product:**

Shake the can before use. Spray at a distance of 15-20 cm for a few seconds or until the area is covered.

Treated sheep should be allowed to stand on dry ground for one hour before returning to pasture.

**9. Withdrawal period:**

Meat: 0 days.

Milk: 0 days.

In the case of forced slaughter, the treated area should be removed and not used for human consumption.

**10. Warnings:**

• **Special precautions for use in animals:**

Keep away from the animal's eyes.

For external use only.

• **Special precautions to be taken by the person administering the veterinary medicinal product to animals:**

Keep away from eyes.

Avoid contact with the skin.

Avoid inhaling vapours.

Must be used in a well ventilated area.

Wash hands after use.

Wear protective gloves/protective clothing/eye protection/face protection.

Pressurized container: may burst in heat.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

Do not spray on an open flame or other ignition source.

**Must be prescribed by a veterinarian**

**For Veterinary Use Only**

**Caution! Extremely flammable, keep away from fire**

**Danger! Not for eating!**