

# PATIENT CARD

## UPLIZNA®

(inebilizumab)

**Please show this card to all health care providers in any situation of emergency and medical treatment**

### Healthcare professionals:

Patient: \_\_\_\_\_  
receives UPLIZNA® for Neuromyelitis optica spectrum disorders (NMOSD).

**UPLIZNA CAN LEAD TO SERIOUS ADVERSE REACTIONS.**

Pay attention to signs and symptoms to detect infections early:

- Severe infection
- Reactivation of viruses
- Opportunistic infection
- Progressive multifocal leukoencephalopathy (PML)

**UPLIZNA** is a medication for adult patients with neuromyelitis optica spectrum disorders (NMOSD) who are anti-aquaporin-4 immunoglobulin G (AQP4-IgG) seropositive. In NMOSD, the immune system attacks healthy parts of the central nervous system (CNS). These episodes cause an inflammation of the CNS. The affected parts of the CNS are generally the optic nerve, spinal cord, brain and brain stem. UPLIZNA is an antibody targeting B cells which attack your CNS. By depleting the B cells, the inflammation and likelihood of episodes is reduced.

**Among the symptoms of an NMOSD episode are:**

- Changes in your vision
- Weakness of the extremities
- Muscle cramps or other pain
- Difficulty in controlling bladder and bowel
- Severe nausea, vomiting or hiccups

The CNS may be damaged through repeated flare-ups (also called "episodes"). These episodes may cause severe and permanent disabilities including paralysis or blindness. NMOSD may even impair breathing and lead to death.

**IMPORTANT POSSIBLE  
ADVERSE REACTIONS TO  
UPLIZNA**

**The risk for infection is increased.**  
Severe or unusual infections may occur.

Tell your physician if you experience symptoms of an infection such as:

- Stuffy or runny nose
- Sore throat or cough
- Red, painful or blisters on the skin
- Painful and frequent urination
- Shortness of breath
- Burning sensation, numbness or tingling sensation
- Sleepiness
- Body aches
- Fever or chills
- Stabbing pain

**Virus infections you had in the past may be reactivated.**

This may happen if the immune system is weakened. One example for a serious infection is hepatitis, a liver infection.

Before each treatment, a hepatitis test will be performed.

Tell your physician right away about any symptoms of infection.

**Progressive Multifocal Leukoencephalopathy (PML) is a rare infection of the brain.**

PML can lead to death or severe disability. It may start with mild symptoms. However, it may get worse over days or weeks.

**Symptoms of PML are:**

- Weakness on one side of the body
- Changes in vision
- Confusion
- Heavy arms and legs
- Changes in thinking, memory or personality
- Newly occurring seizures

**Seek immediate medical attention, if you have one of these symptoms.**

**Carry this card with you at all times.**

Talk to your physician or pharmacist if you notice any side effects.

Adverse events can be reported to the Ministry of Health via <https://sideeffects.health.gov.il>

Or report to local distributor Medison pharma: [PVIsrael@Medisonpharma.com](mailto:PVIsrael@Medisonpharma.com)

By reporting side effects, you can help provide more information about the safety of this medication.

This card and its contents were approved by the Ministry of Health in March 2025

UPL0007

Contact your physician if you experience symptoms of infection or PML:

Name:

---

Phone number:

---

Medical Center:

---