

Please remember:

- BLINCYTO may cause neurological events including:
 - shaking (tremor)
 - difficulty in communicating (aphasia)
 - disturbances of brain function (encephalopathy)
 - confusion
 - seizure (convulsion)
- **Please call your doctor or nurse immediately if you experience any of these symptoms.**
- **Please travel home safely and do not drive or operate moving vehicles/heavy machinery, or engage in hazardous activities whilst receiving BLINCYTO.**
- **If there are problems or unexpected stopping of the infusion pump, call your doctor or nurse immediately. Please don't try to fix any issues yourself.**
- Adverse events can be reported to the Ministry of Health via <https://sideeffects.health.gov.il/>
- Or report to local distributor Medison: pv@Medison.co.il



Patient Card



**Please show this card
to all emergency
and healthcare providers**

Information about BLINCYTO® (blinatumomab)

Israeli Version 3.0 final October 2021 derived from EU Version 3.0 Approved February 2021

My name is _____

In Case of Emergency (ICE) contact

I am being treated with BLINCYTO, a treatment for B-precursor acute lymphoblastic leukaemia, which can lower my immune system.

I started treatment on _____

Before providing any treatment, please call my prescribing physician at the number below. If any medical evaluations are undertaken, please provide copies of all medical records, including any treatments and/or test results, to the doctor(s) named below.

	Name	Hospital	City	Phone Number
Haematologist				
Oncologist				
Haematology Nurse				