

ESBRIET®

אסברייט

Esbriet® 801 mg Tablets Esbriet® 267 mg Tablets

אסברייט 267 מ"ג טבליות אסברייט 801 מ"ג טבליות

Pirfenidone Pirfenidone

Film coated tablets Film coated tablets

רופא/ה יקר/ה, רוקח/ת יקר/ה,

חברת רוש פרמצבטיקה (ישראל) בע"מ מבקשת להודיעכם על מספר עדכונים בעלון לרופא ובעלון לצרכן של התכשירים המצוינים מעלה. בהודעה זו מצויינים רק עדכונים מהותיים ועדכונים אשר מהווים החמרה.

ההתוויה הרשומה לתכשיר בישראל:

Esbriet is indicated in adults for the treatment of mild to moderate Idiopathic Pulmonary Fibrosis (IPF).

:הסבר

<u>טקסט עם קו תחתי</u> מציין טקסט שהוסף לעלון.

טקסט עם קו חוצה מציין טקסט שהוסר מן העלון.

למידע נוסף יש לעיין בעלון לרופא כפי שאושר ע"י משרד הבריאות.

העלון המעודכן נשלח לפרסום במאגר התרופות שבאתר משרד הבריאות, וניתן לקבלו מודפס על-ידי 09- פנייה לבעל הרישום: רוש פרמצבטיקה (ישראל) בע"מ, ת.ד 6391 , הוד השרון 4524079 טלפון -90 www.roche.co.il .9737777

בברכה,

PP

לילי אדר

רוקחת ממונה



מאי קדים

מחלקת רישום



<u>עדכוניים מהותיים בעלון לרופא:</u>

בסעיף **4.4 Special warnings and precautions for use** בסעיף

[...]

Severe skin reactions

Stevens-Johnson syndrome (SJS) and toxic epidermal necrolysis (TEN), which can be life-threatening or fatal, have been reported post-marketing in association with Esbriet treatment. If signs and symptoms suggestive of these reactions appear, Esbriet should be withdrawn immediately. If the patient has developed SJS or TEN with the use of Esbriet, treatment with Esbriet must not be restarted and should be permanently discontinued.

[...]

בסעיף **4.8 Undesirable safety effects** עודכן המידע הבא:

[...]

Table 1 Adverse reactions by SOC and MedDRA frequency		
Infections and infestations		
Very Common	Upper respiratory tract infection	
Common	Urinary tract infection	
Blood and lymphatic system disorders		
Uncommon	Agranulocytosis ¹	
Immune system disorders		
Uncommon	Angioedema ¹	
Not known	Anaphylaxis ¹	
Metabolism and nutrition disorders		
Very Common	Weight decreased; decreased appetite	
Uncommon	Hyponatraemia ¹	
Psychiatric disorders		
Very Common	Insomnia	
Nervous system disorders		



Table 1 Adverse reactions by SOC and MedDRA frequency		
Very Common	Headache; dizziness	
Common	Somnolence; dysgeusia; lethargy	
Vascular disorders		
Common	Hot flush	
Respiratory, thoracic and mediastinal disorders		
Very Common	Dyspnoea; cough	
Common	Productive cough	
Gastrointestinal disorders		
Very Common	Dyspepsia; nausea; diarrhoea; gastroesophageal reflux disease; vomiting; constipation	
Common	Abdominal distension; abdominal discomfort; abdominal pain; abdominal pain upper; stomach discomfort; gastritis; flatulence	
Hepatobiliary disorders		
Common	ALT increased; AST increased; gamma glutamyl transferase increased	
Uncommon	Total serum bilirubin increased in combination with increases of ALT and AST ¹ ; Drug-induced liver injury ²	
Skin and subcutaneous tissue disorders		
Very Common	Rash	
Common	Photosensitivity reaction; pruritus; erythema; dry skin; rash erythematous; rash macular; rash pruritic	
Not Known	Stevens-Johnson syndrome ¹ ; toxic epidermal necrolysis ¹	
Musculoskeletal and connective tissue disorders		
Very Common	Arthralgia	
Common	Myalgia	



Table 1 Ad	verse reactions by SOC and MedDRA frequency	
General disorders and administration site conditions		
Very Common	Fatigue	
Common	Asthenia; non-cardiac chest pain	
Injury poisoning and procedural complications		
Common	Sunburn	

[...]

עדכוניים מהותיים בעלון לצרכן:

בסעיף 2. לפני השימוש בתרופה עודכן המידע הבא:

[...]

אזהרות מיוחדות הנוגעות לשימוש בתרופה:

[...]

- תסמונת סטיבנס-ג'ונסון ונמק אפידרמי רעלני (טוקסיק אפידרמל נקרוליזיס) דווחו בקשר עם טיפול באסברייט. אם אתה מבחין באחד מהתסמינים הקשורים בתגובות העור החמורות המתוארות בסעיף 4, הפסק להשתמש באסברייט ופנה מיד לטיפול רפואי.
 - [...]

בסעיף 4. תופעות לוואי עודכן המידע הבא:

[...¹

הפסק ליטול אסברייט וידע את הרופא באופן מיידי אם אתה סובל מהתופעות הבאות:

[...]

- כתמים אדמדמים לא מוגבהים או עגולים באזור הגו, לעיתים קרובות עם שלפוחיות במרכזם, קילוף העור, כיבים בפה, בגרון, באף, באיברי המין ובעיניים. פריחות עור חמורות אלו עשויות להופיע לאחר חום ותסמינים דמויי שפעת. סימנים ותסמינים אלו עשויים להצביע על תסמונת סטיבנס-ג'ונסון או נמק אפידרמי רעלני (טוקסיק אפידרמל נקרוליזים).
 - [...]