

תאריך: מרץ 2022

רופא/ה, רוקח/ת נכבד/ה

חברת טבע מודיעה על העדכונים הבאים בעלון לרופא של התכשיר:

Paclitaxel Teva, concentrate for solution for infusion

פקליטקסל טבע, תמיסה מרוכזת להכנת תמיסה לעירוי

Contains: Paclitaxel 6 mg/ml

עדכונים בעלון לרופא

התוויה כפי שאושרה בתעודת הרישום:

- Ovarian cancer: paclitaxel is indicated alone or in combination, for the treatment of advanced carcinoma of the ovary.
- Breast Cancer:
 - Paclitaxel is indicated for the treatment of metastatic breast cancer after failure of combination chemotherapy. Prior therapy should have included an anthracycline unless clinically containdicated.
 - Paclitaxel is indicated for the adjuvant treatment of node-positive breast cancer administered sequentially to standard doxorubicin-containing combination chemotherapy.
- Advanced non-small cell lung cancer: paclitaxel associated with cisplatinum is indicated for the treatment of non-small cell lung cancer in patients who are not candidates for potentially curative surgery and/or radiation therapy.
- Kaposi's sarcoma: paclitaxel is indicated in the second-line treatment of AIDS related Kaposi's sarcoma.

ברצוננו להודיע שהעלון לרופא עודכן, בפירוט שלהלן כלולים העדכונים העיקריים בלבד (תוספות מסומנות באדום והסרות מידע כטקסט מחוק):

4 CLINICAL PARTICULARS

4.3 Therapeutic indications

- Ovarian cancer: paclitaxel is indicated alone or in combination, for the treatment of advanced carcinoma of the ovary.
- Breast Cancer:
 - Paclitaxel is indicated for the treatment of metastatic breast cancer after failure of combination chemotherapy. Prior therapy should have included an anthracycline unless clinically containdicated.
 - Paclitaxel is indicated for the adjuvant treatment of node-positive breast cancer administered sequentially to standard doxorubicin-containing combination chemotherapy.

- Advanced non-small cell lung cancer: paclitaxel associated with cisplatinum is indicated for the treatment of non-small cell lung cancer in patients who are not candidates for potentially curative surgery and/or radiation therapy.
- Kaposi's sarcoma: paclitaxel is indicated in the second-line treatment of AIDS related Kaposi's sarcoma.
- For the treatment of advanced gastric carcinoma.

4.3 Dosage and Method of Administration

[...]

Advanced gastric careinoma
Paclitaxel Teva administered
[...]

העלון לרופא נשלח לפרסום במאגר התרופות שבאתר האינטרנט של משרד הבריאות https://israeldrugs.health.gov.il, וניתן לקבלו