

DIRECT HEALTHCARE PROFESSIONAL COMMUNICATION

To: Physicians/Prescribers in transplant centers in Israel who may perform HSCT

From: BMS Israel Medical director

Subject: PTLD or CMV reactivation in Patients Undergoing Unrelated-Donor Hematopoietic Stem Cell Transplantation (HSCT) with Intravenous ORENCIA in Israel

<u>תקציר:</u>

מכתב זה לצוות הרפואי מכיל מידע לגבי האפשרות להתפרצות של EBV או CMV בזמן שימוש באורנסיה (abatacept) במטופלים העוברים השתלת תאי גזע של מערכת הדם (HSCT). המכתב יופץ לרופאים במרכזי השתלה בישראל.

בשימוש ב abatacept בשילוב עם (CNI) calcineurin ומעכבי methotrexate (MTX) למניעת מחלת שתל נגד מאכסן חריפה abatacept בשימוש ב CMV בשילוב עם (aGVHD) או EBV או CMV או EBV במו גם סיבוכים נילווים, זיהום (tymphoproliferative disease (PTLD). יש לשקול ניטור לזיהוי התפרצות CMV או EBV כמו גם מתן טיפול מונע.

מחקר פאזה II שביסס את השימוש של abatacept במניעת aGVHD עקב אחר התפרצות EBV ו CMV במטופלים בהתאם לפרקטיקות טיפוליות הנהוגות במרכז הרפואי. לפני תחילת הטיפול באורנסיה מומלץ מתן של טיפול אנטי ויראלי למניעת התפרצות לפרקטיקות טיפוליות הנהוגות במרכז הרפואי. לפני תחילת הטיפול באורנסיה מומלץ לעקוב אחר מטופלים למשך 6 חודשים מזמן במשך 6 חודשים מזמן ההשתלה למניעת EBV-associated PTLD. ללא תלות בתוצאות הבדיקות הסרולוגיות לגילוי נגיף ה-CMV שבוצעו טרם ההשתלה לצורך זיהוי זיהום או התפרצות של CMV, ללא תלות בתוצאות לזיהום או התפרצות של נגיף ה-CMV.

Further details:

Bristol-Myers Squibb as requested by the Israel Ministry of Health, is issuing a Direct Healthcare Professional Communication (DHPC) in Israel to communicate important safety information regarding ORENCIA IV for prophylaxis of acute graft versus host disease (aGVHD) in combination with a calcineurin inhibitor and methotrexate, in adults and pediatric patients 6 years of age or older undergoing hematopoietic stem cell transplantation (HSCT) from a matched or 1 allele-mismatched unrelated-donor. The DHPC is being distributed to transplant centers in Israel who perform HSCT from a matched or 1 allele-mismatched unrelated-donor and other appropriate healthcare professionals.

In a study in adults and children above the age of 6 undergoing unrelated-donor HSCT with ORENCIA IV, reactivation of Epstein-Barr Virus (EBV) and Cytomegalovirus (CMV) were reported.

Post-Transplant Lymphoproliferative Disorder (PTLD) occurred in patients who received ORENCIA for aGVHD prophylaxis during unrelated HSCT. Of 116 patients who received ORENCIA, 4 patients (3.4%) experienced PTLD. All the PTLD events were associated with EBV infection. Three of the four patients were EBV serology positive at baseline; one patient had negative baseline EBV serology with donor EBV serology unknown. Three of the 4 patients discontinued acyclovir prophylaxis at day 30 post-transplant. The range of time to onset of the events was 49 to 89 days post-transplant. Monitor patients for EBV reactivation in accordance with institutional practices.

Before administering ORENCIA, administer recommended antiviral prophylactic treatment for Epstein-Barr Virus (EBV) reactivation, and continue for six months following HSCT to prevent EBV-associated PTLD.

CMV invasive disease occurred in patients who received ORENCIA for aGVHD prophylaxis during unrelated HSCT. Of 116 patients who received ORENCIA, 7% experienced CMV invasive diseases up to day 225 post-transplant. All the patients who experienced CMV invasive disease were CMV serology positive at baseline. The median time to onset of the event was 91 days post-transplant. CMV invasive diseases predominantly involved the gastrointestinal tract.



Monitor patients for CMV infection/reactivation for 6 months post-transplant regardless of the results of donor and recipient pre-transplant CMV serology.

Consider prophylactic antivirals for Cytomegalovirus (CMV) infection/reactivation during treatment and for six months following HSCT.

Please refer to the PRODUCT INFORMATION, for a complete discussion of the INDICATIONS, CONTRAINDICATIONS, WARNINGS, PRECAUTIONS, ADVERSE REACTIONS and DOSAGE and ADMINISTRATION. Link to Orencia Prescribing Information:

https://mohpublic.z6.web.core.windows.net/IsraelDrugs/Rishum01_5_947785522.pdf

Bristol-Myers Squibb is committed to ensuring *Orencia* is used safely and in accordance with the Product Labeling. Any suspected adverse events should be reported to the Ministry of Health according to the National Regulation by using an online form https://sideeffects.health.gov.il/

If you have further questions, require additional information or would like to report adverse events to BMS, please contact BMS MEDICAL INFORMATION DEPARTMENT at 1809-388-054 (a toll free number) or medinfo.Israel@bms.com

Dr. Nitsan Gal, BMS Israel Medical Director