

רופא/ה, רוקח/ת נכבד/ה,

# NexoBrid 2g and NexoBrid 5g gel and powder for : קנדון: gel

חברת מדיוונד ישראל בע"מ מבקשת להודיעכם כי העלונים לרופא של התכשיר שבנדון התעדכנו בדצמבר 2022.

פרטי העדכונים העיקריים מופיעים בהמשך טקסט שנוסף מסומן באדום עם קו תחתון, טקסט שהושמט מסומן כטקסט בחול עם קו חוצה, טקסט המהווה החמרה מודגש בצהוב אך קיימים עדכונים נוספים.

#### ההתוויות להן רשום התכשיר:

NexoBrid is indicated for removal of eschar in adults with deep partialand full-thickness thermal burns.

#### צורת מינוו:

Powder and gel for gel.

#### מרכיב פעיל:

Concentrate of proteolytic enzymes enriched in bromelain

העלונים המעודכנים נשלחו לפרסום במאגר התרופות שבאתר משרד הבריאות. כמו כן, מצורפים לפרסום זה וניתן לקבל העתק מודפס באמצעות פנייה לבעל הרישום: מדיוונד בע"מ, רחוב הירקון 42, יבנה, טל' 077-9714100.

> בברכה, פאני מגריש רוקחת ממונה מדיוונד בע"מ



#### 4.2 Posology and method of administration

<u>This medicinal product</u>NexoBrid should only be applied by trained healthcare professionals in specialist burn centres.

#### Posology

2 g NexoBrid powder in 20 g gel is applied to a burn wound area of 1 % Total Body Surface Area (TBSA) of an adult, with a gel layer thickness of 1.5 to 3 mm. 5g NexoBrid powder in 50 g gel is applied to a burn wound area of 2.5 % Total Body Surface Area (TBSA) of an adult, with a gel layer thickness of 1.5 to 3 mm.

<u>The gelNexoBrid</u> should not be applied to more than 15% TBSA (see also section 4.4, Coagulopathy).

NexoBrid It should be left in contact with the burn for a duration of 4 hours. There is very limited information on the use of this medicinal product NexoBrid on areas where eschar remained after the first application.

A second and subsequent application is not recommended.

#### Special populations

#### Renal impairment

There is no information on the use of NexoBrid in patients with renal impairment. These patients should be carefully monitored.

#### Hepatic impairment

There is no information on the use of NexoBrid in patients with hepatic impairment. These patients should be carefully monitored.

#### Elderly patients

Experience with NexoBrid in elderly patients (>65 years) is limited. Benefit/risk assessment should include consideration of the greater frequency of concomitant disease or other medicinal product therapy in the elderly. No dose adjustment is required.

#### Paediatric population

The safety and efficacy of this treatment NexoBrid in children and adolescents younger than 18 years have not yet been established. Currently available data are described in section 4.8 and 5.1 but no recommendation on a posology can be made. This medicinal product NexoBrid is not indicated for use in patients younger than 18 years.

#### Method of administration

Cutaneous use.



Before use, the powder must be mixed with the gel producing a uniform gel .<u>For instructions on mixing</u> (see section 6.6).

Once mixed, the gelNexoBrid should be applied to a clean, keratin-free (blisters removed), and moist wound area.

Each vial, gel, or reconstituted gel should be used for a single use only.

Topically applied medicinal products (such as silver sulfadiazine or povidone-iodine) at the wound site must be removed and the wound must be cleansed prior to NexoBrid application as eschar saturated with medicinal products and their remains reduce the activity of NexoBrid and decrease its efficacy.

See section 6.6 <u>F</u>for instructions on <u>NexoBrid gel</u> preparation <u>of the medicinal</u> <u>product before application, see section 6.6.</u>


Precaution to be taken before manipulating or administering the product When mixing this medicinal product powder with the gel, appropriate handling, including wearing of gloves and protective clothing as well as eye shielding glasses and a surgical mask, is required (see section 4.4). The powder should not be inhaled, see section 6.6.

Preparation of patient and wound area

A total wound area of not more than 15% TBSA can be treated with <u>this medicinal</u> productNexoBrid (see also section 4.4, Coagulopathy).

- Enzymatic debridement is a painful procedure and requires adequate analgesia and/or anaesthesia. Pain management must be used as commonly practiced for an extensive dressing change; it should be initiated at least 15 minutes prior to NexoBrid application.
- The wound must be cleaned thoroughly and the superficial keratin layer or blisters removed from the wound area, as the keratin will isolate the eschar from direct contact with the gelNexoBrid and prevent eschar removal by it NexoBrid.
- Dressing soaked with an antibacterial solution must be applied for 2 hours.
- All topically applied antibacterial medicinal products must be removed before applying the gel NexoBrid. Remaining antibacterial medicinal products may reduce the activity of NexoBrid by decreasing its efficacy.
- The area from which you wish to remove the eschar must be surrounded with a sterile paraffin ointment adhesive barrier by applying it a few centimetres outside of the treatment area (using a dispenser). The paraffin layer must not come into contact with the area to be treated to avoid covering the eschar, thus isolating the eschar from direct contact with <a href="the gelNexoBrid">the gelNexoBrid</a>.

  To prevent possible irritation of abraded skin by inadvertent contact with <a href="the gelNexoBrid">the gelNexoBrid</a> and possible bleeding from the wound bed, acute wound areas



• Sterile isotonic sodium chloride 9 mg/ml (0.9%) solution must be sprinkled on the burn wound. The wound must be kept moist during the application procedure.

#### Application of the gel

#### NexoBrid application

- Moisten the area to be treated by sprinkling sterile saline onto the area bordered by the fatty ointment adhesive barrier.
- Within 15 minutes of mixing, the gelNexoBrid must be applied topically to the moistened burn wound, at a thickness of 1.5 to 3 millimetres.
- The wound must then be covered with a sterile occlusive film dressing that adheres to the sterile adhesive barrier material applied as per the instruction above (see *Preparation of patient and wound area*). The NexoBrid gel must fill the entire occlusive dressing, and special care should be taken not to leave air under this occlusive dressing. Gentle pressing of the occlusive dressing at the area of contact with the adhesive barrier will ensure adherence between the occlusive film and the sterile adhesive barrier and achieve complete containment of the gelNexoBrid on the treatment area.
- The dressed wound must be covered with a loose, thick fluffy dressing, held in place with a bandage.
- The dressing must remain in place for 4 hours.

#### Removal of the gelNexoBrid

- Removal of this medicinal product NexoBrid is a painful procedure and requires adequate analgesia and/or anaesthesia. Appropriate preventive analgesia medicinal products must be administered at least 15 minutes prior to gelNexoBrid application.
- After 4 hours of <u>medicinal product</u> NexoBrid treatment, the occlusive dressing must be removed using aseptic techniques.
- The adhesive barrier must be removed using a sterile blunt-edged instrument (e.g., tongue depressor).
- The dissolved eschar must be removed from the wound by wiping it away with a sterile blunt-edged instrument.
- The wound must be wiped thoroughly first with a large sterile dry gauze or napkin, followed by a sterile gauze or napkin that has been soaked with sterile isotonic sodium chloride 9 mg/ml (0.9%) solution. The treated area must be rubbed until the appearance of a pinkish surface with bleeding points or a whitish tissue. Rubbing will not remove adhering undissolved eschar in areas where the eschar still remains.

#### Wound care after debridement

- The debrided area must be covered immediately by temporary or permanent skin substitutes or dressings to prevent desiccation and/or formation of pseudoeschar and/or infection.
- Before a permanent skin cover or temporary skin substitute is applied to a freshly enzymatically debrided area, a soaking wet-to-dry dressing must be applied.
- Before application of the grafts or primary dressing, the debrided bed must be cleaned and refreshed by, e.g., brushing or scraping to allow dressing adherence.
- Wounds with areas of full-thickness and deep burn should be autografted as soon as possible after the treatment NexoBrid debridement. Careful consideration should also be given to placing permanent skin covers (e.g. autografts) on deep partial thickness wounds soon after the treatment NexoBrid debridement. (see section 4.4)

  See section 4.4.

Each NexoBrid vial, gel, or reconstituted gel should be used for a single patient only.

#### 4.4 Special warnings and precautions for use

#### **Traceability**

In order to improve the traceability of biological medicinal products, the name and the batch number of the administered product should be clearly recorded.

#### Hypersensitivity reactions, skin exposure

The potential of this medicinal product NexoBrid (a protein product) to cause sensitisation should be taken into account.

There have been reports of serious allergic reactions including anaphylaxis (with manifestations such as rash, erythema, hypotension, tachycardia) in patients undergoing debridement with the treatment NexoBrid (see section 4.8).. In these cases, a causal relationship to this medicinal product NexoBrid was considered possible, but possible allergy to concomitant medicinal product medications such as opioid analgesics should also be considered.



Alergic teactions to inhaled bromelain have been reported in the literature (including anaphylactic reactions and other immediate-type reactions with manifestations such as bronchospasm, angiooedema, urticaria, and mucosal and gastrointestinal reactions). No occupational hazard was found in a study assessing the amount of airborne particles during NexoBrid Gel preparation.

> In addition, a delayed-type allergic skin reaction (cheilitis) after longer-term dermal exposure (mouthwash) as well as suspected sensitisation following oral exposure and following repeated occupational airway exposure have been reported. History of allergy needs to be established prior to the administration (see sections 4.3 and 6.6).

#### Skin exposure

In case of skin exposure, this medicinal product NexoBrid should be rinsed off with water to reduce the likelihood of skin sensitisation (see section 6.6).

#### Cross-sensitivity

Cross-sensitivity between bromelain and papain as well as latex proteins (known as latex-fruit syndrome), bee venom, and olive tree pollen has been reported in the literature.

#### Analgesia

Enzymatic debridement is a painful procedure, and may only be administered after adequate analgesia and/or anesthesia has been established.

#### Burn wounds for which this medicinal product NexoBrid is not recommended

This treatment NexoBrid is not recommended for use on:

- penetrating burn wounds where foreign materials (e.g. implants, pacemakers, and shunts) and/or vital structures (e.g. larger vessels, eyes) are or could become exposed during debridement.
- chemical burn wounds.
- wounds contaminated with radioactive and other hazardous substances to avoid unforeseeable reactions with the product and an increased risk of spreading the noxious substance.
- foot burns in diabetic patients and patients with occlusive vascular disease - in electrical burns.

#### Burns for which there is limited or no experience

<u>Use in patients with cardiopulmonary and pulmonary disease</u>
<u>This medicinal product</u>NexoBrid should be used with caution in patients with cardiopulmonary and pulmonary disease, including pulmonary burn trauma and suspected pulmonary burn trauma.

General principles of proper burn wound care must be adhered to when using NexoBrid. This includes proper wound cover for the exposed tissue (see section 4.2). Facial burn wounds

There are literature reports of successful use of <u>this medicinal product NexoBrid</u> on facial burn wounds. Burn surgeons without experience in using <u>this medicinal product NexoBrid</u> should not start using it on facial burn wounds. <u>the treatment NexoBrid</u> must be used with caution in such patients.

### Eye protection

Direct contact with the eyes must be avoided. Eyes must be carefully protected during treatment of facial burns using fatty ophthalmic ointment on the eyes and adhesive barrier petroleum ointment around to insulate and cover the eyes with occlusive film. In case of eye exposure, irrigate exposed eyes with copious amounts of water for at least 15 minutes. An ophthalmological exam is recommended prior to and after debridement.

#### Systemic absorption

Concentrate of proteolytic enzymes enriched in bromelain is systemically absorbed from burn wound areas (see section 5.2).

There is limited pharmacokinetic data in patients with TBSA of more than 15%. Due to safety considerations (see also section 4.4, Coagulopathy) this medicinal productNexoBrid should not be applied to more than 15% Total Body Surface Area (TBSA).

#### Prevention of wound complications

General principles of proper burn wound care must be adhered to when using this medicinal product. This includes proper wound cover for the exposed tissue (see section 4.2).



Legistration of the desired to the d and autografting was required at a later date, leading to delays in wound closure which may be associated with increased risk of wound-related complications. Therefore, wounds with areas of full-thickness and deep burn that will not heal spontaneously by epithelialisation epithelialization in timely manner should be autografted as soon as

> possible after NexoBrid debridement (see section 5.1 for study results). Careful consideration

should also be given to placing permanent skin covers (e.g. autografts) on deep partial thickness wounds soon after NexoBrid debridement. (see sections 4.2 and 4.8) See also section 4.2 and 4.8.

As in the case of surgically debrided bed, in order to prevent desiccation and/or formation of pseudoeschar and/or infection, the debrided area should be covered immediately by temporary or permanent skin substitutes or dressings. When applying a permanent skin cover (e.g. autograft) or temporary skin substitute (e.g., allograft) to a freshly enzymatically debrided area, care should be taken to clean and refresh the debrided bed by, e.g., brushing or scraping to allow dressing adherence.

### Coagulopathy


A reduction of platelet aggregation and plasma fibrinogen levels and a moderate increase in partial thromboplastin and prothrombin times have been reported in the literature as possible effects following oral administration of bromelain. In vitro and animal data suggest that bromelain can also promote fibrinolysis. During the clinical development of this medicinal product NexoBrid, there was no indication of an increased bleeding tendency or bleeding at the site of debridement.

The treatment NexoBrid should not be used in patients with uncontrolled disorders of coagulation. NexoBrid should be used with caution in patients under anticoagulant therapy or other medicinal products drugs affecting coagulation, and in patients with low platelet counts and increased risk of bleeding from other causes e.g. peptic ulcers and sepsis.

Patients should be monitored for possible signs of coagulation abnormalities and signs of bleeding.

#### Clinical monitoring **Monitoring**

In addition to routine monitoring for burn patients (e.g., vital signs, volume/water/electrolyte status, complete blood count, serum albumin and hepatic enzyme levels), patients treated with this medicinal product NexoBrid should be monitored for:



- Conditions that could be precipitated or worsened by analgesic premedication (e.g., gastric dilatation, nausea and risk of sudden vomiting, constipation) or antibiotic prophylaxis (e.g., diarrhoea).
- Signs of local or systemic allergic reactions.
- Potential effects on haemostasis (see above).

Removal of topically applied antibacterial medicinal products before NexoBrid application

All topically applied antibacterial medicinal products must be removed before applying this medicinal product NexoBrid. Remaining antibacterial medicinal products reduce the activity of this medicinal product NexoBrid by decreasing its efficacy.

#### **Traceability**

In order to improve the traceability of biological medicinal products, the name and the batch number

of the administered product should be clearly recorded.

#### 4.5 Interaction with other medicinal products and other forms of interaction

No interaction studies with NexoBrid have been performed.

#### Medicinal products that affect coagulation

Reduction of platelet aggregation and plasma fibrinogen levels and a moderate increase in partial thromboplastin and prothrombin times have been reported as possible effects following oral administration of bromelain. In vitro and animal data suggest that bromelain can also promote fibrinolysis. Caution and monitoring is therefore needed when prescribing concomitant medicinal products that affect coagulation. (see See also section 4.4.)

#### CYP2C8 and CYP 2C9 substrates

The medicinal product NexoBrid, when absorbed, is an inhibitor of cytochrome P 450 2C8 (CYP2C8) and P450 2C9 (CYP2C9). This should be taken into account if this medicinal productNexoBrid is used in patients receiving CYP2C8 substrates (including amiodarone, amodiaquine, chloroquine, fluvastatin, paclitaxel, pioglitazone, repaglinide, rosiglitazone, sorafenib and torasemide) and CYP2C9 substrates (including ibuprofen, tolbutamide, glipizide, losartan, celecoxib, warfarin, and phenytoin).



Topically applied antibacterial medicinal products (e.g. silver sulfadiazine or povidone iodine) may decrease the efficacy of this medicinal product NexoBrid (see section 4.4).

#### Fluorouracil and vincristine

Bromelain may enhance the actions of fluorouracil and vincristine. Patients should be monitored for increased toxicity.

#### **ACE** inhibitors

Bromelain may enhance the hypotensive effect of ACE inhibitors, causing larger decreases in blood pressure than expected. Blood pressure should be monitored in patients receiving ACE inhibitors.

#### Benzodiazepines, barbiturates, narcotics and antidepressants

Bromelain may increase drowsiness caused by some medicinal products (e.g., benzodiazepines, barbiturates, narcotics and antidepressants). This should be taken into account when dosing such products.

#### 4.6 Fertility, pregnancy and lactation

#### **Pregnancy**

There are no data from the use of <u>concentrate of proteolytic enzymes enriched in bromelain NexoBrid</u> in pregnant women.

Animal studies are insufficient to properly assess the potential of NexoBrid to interfere with embryonal/foetal development (see section 5.3).

Since the safe use of this medicinal product NexoBrid during pregnancy has not yet been established, it NexoBrid is not recommended during pregnancy.

#### Breastfeeding

It is unknown whether concentrate of proteolytic enzymes enriched in bromelain or its metabolites are excreted in human milk. A risk to new-borns/infants cannot be excluded. Breast-feeding should be discontinued at least 4 days from NexoBrid application initiation.

#### Fertility

No studies were performed to assess the effects of this medicinal product NexoBrid on fertility.

#### 4.8 Undesirable effects

### Summary of the safety profile

The most commonly reported adverse reactions are transient pyrexia/hyperthermia local pain (incidence of 15.2 % and 4.0% respectively).

The most commonly reported adverse reactions of the use of NexoBrid are transient pyrexia/hyperthermia (incidence of 15.2% in 223 patients treated with NexoBrid in pooled studies MW2004-11-02, MW2005-10-05, MW2008-09-03, and MW2010-03-02) and pain (incidence of 4.0% in 223 patients treated with NexoBrid in pooled studies MW2004-11-02, MW2005-10-05, MW2008-09-03, and MW2010-03-02). The Adverse Reactions are detailed below.

#### Tabulated list of adverse reactions

The following definitions apply to the frequency terminology used hereafter:

v¥ery common (≥1/10)

<u>c</u>Common ( $\ge 1/100$  to < 1/10)

u Uncommon (≥1/1,000 to <1/100)

rRare ( $\geq 1/10,000$  to < 1/1,000)

vVery rare (<1/10,000)

nNot known (cannot be estimated from the available data).

The frequencies of the adverse reactions presented below reflect the use of this medicinal product NexoBrid to remove eschar from deep partial- or full-thickness burns in a regimen with local antibacterial prophylaxis, recommended analgesia, as well as coverage of the wound area after application of the treatment NexoBrid for 4 hours with an occlusive dressing for containment of NexoBrid on the wound.

Infections and infestations

Common: Wound infection\*

Immune system disorders

<u>Common:</u> Non serious allergic reactions such as rash<sup>a</sup>
Not known: Serious allergic reactions including anaphylaxis <sup>a</sup>

Cardiac disorders

Common: Tachycardia\*

Skin and subcutaneous tissue disorders/
Common: Wound complication\*

General disorders and administration site conditions

Very common: Pyrexia/hyperthermia\*

Common: Local pain\*

Cardiac disorders

Common: Tachycardia\*

#### Immune system disorders

Common: Non serious allergic reactions such as rash<sup>a</sup>
Not known: Serious allergic reactions including anaphylaxis <sup>a</sup>

a see section 4.4.

#### Description of selected adverse reactions

#### Pyrexia/hyperthermia

In pooled studies MW2004-11-02, MW2005-10-05, MW2008-09-03 and MW2010-03-02 with routine antibacterial soaking of the treatment area before and after <u>this</u> <u>medicinal productNexoBrid</u> application (see section 4.2) pyrexia or hyperthermia was reported in 15.2% of patients treated with <u>it NexoBrid</u> and in 11.3% of the control patients treated according <u>to</u> standard of care (SOC).

In early studies without antibacterial soaking (Studies MW2001-10-03 and MW2002-04-01), pyrexia or hyperthermia was reported in 35.1% of NexoBrid-treated patients compared with 8.6% treated with SOC,.

Local pPain

<sup>\*</sup>see Description of selected adverse reactions below.

In pooled studies MW2004-11-02, MW2005-10-05, MW2008-09-03 and MW2010-03-02 where the medicinal product NexoBrid regimen included recommended preventive analgesia as routinely practiced for extensive dressing changes in burn patients (see section 4.2) pain was reported in 4.0% of patients treated with medicinal product NexoBrid, and in 3.8% of the control patients treated according to SOC. In early studies where analgesia was provided in medicinal product NexoBrid -treated patients on an on-demand basis, pain was reported in 23.4% of patients treated with medicinal product NexoBrid and in 5.7% in the SOC group.

#### Wound infection

In pooled studies with routine antibacterial soaking of the treatment area before and after <a href="medicinal productNexoBrid">medicinal productNexoBrid</a> application (studies MW2004-11-02, MW2005-10-05, MW2008-09-03 and MW2010-03-02 studies), the incidence of wound infection was 5.4% in the <a href="medicinal productNexoBrid">medicinal productNexoBrid</a> group and 8.1% in the standard of care group.

In pooled studies which were conducted before implementation of routine antibacterial soaking of the treatment area (studies MW2001-10-03 and MW2002-04-01), The incidence of wound infection was 7.8% in the medicinal product group and 0% in the standard of care group

#### Wound complications

Wound complications reported include the following: wound deepening, wound desiccation, wound re-opening, graft loss/ graft failure, and local intradermal haematoma.

In pooled phase 2 and 3 studies (MW2001-10-03, MW2002-04-01, MW2004-11-02, MW2005-10-05, MW2008-09-03, and MW2010-03-02) including 300 patients treated with NexoBrid and 195 patients treated with Standard of Care (SOC), the following incidence was reported: wound complication 3% in the NexoBrid treated patients and 1.5% in patients treated with Standard of Care (SOC), skin graft loss/graft failure 3% in the patients treated with NexoBrid and in 2.5% in patients treated with Standard of Care SOC, wound decomposition 1% in both the NexoBrid and SOC treated patients, local intradermal hematoma 0.7% in NexoBrid treated patients and none in the SOC treated patients.

#### *Tachycardia*

In pooled phase 2 and 3 studies (MW2001-10-03, MW2002-04-01, MW2004-11-02, MW2005-10-05, MW2008-09-03 and MW2010-03-02) 2.7% of patients experienced tachycardia in temporal proximity to NexoBrid treatment. Alternative causes of tachycardia (e.g. the general burn condition, procedures causing pain, fever and dehydration) should be considered.

#### Paediatric population



There is pally limited safety data from the use in the paediatric population. From these data it is expected that the overall safety profile in children 4 years of age and older and in adolescents is similar to the profile in adults. This medicinal product NexoBrid is not indicated for use in patients younger than 18 years (see section 4.2).

#### Reporting of suspected adverse reactions

Reporting suspected adverse reactions after authorisation of the medicinal product is important. It allows continued monitoring of the benefit/risk balance of the medicinal product.

#### Pharmacodynamic properties

Pharmacotherapeutic group: Preparations for treatment of wounds and ulcers, proteolytic enzymes; ATC code: D03BA03.

Concentrate of proteolytic enzymes enriched in bromelain is a debriding agent, applied topically for removal of eschar in deep partial- and full-thickness burns.

#### Mechanism of action

The mixture of enzymes in this medicinal product NexoBrid dissolves burn wound eschar. The specific components responsible for this effect have not been identified. The major constituent is stem bromelain.

#### Clinical efficacy and safety

During clinical development, a total of 467 patients were treated with the concentrate of proteolytic enzymes enriched in bromelain.

*DETECT study (MW2010-03-02)- (Phase 3b)* 

This study is a multi-center, multi-national, assessor-blinded, randomized, controlled, three-arm study aimed at demonstrating superiority of this medicinal product NexoBrid treatment over Gel Vehicle (placebo) control and standard of care (SOC) treatment, in hospitalized adult subjects with DPT and/or FT thermal burn of >3% TBSA and total burn wounds of no more than 30% TBSA. The mean % TBSA of Target Wound TWs was about 6%.

The analyses were planned in stages: First analysis was performed at the end of the Acute Phase (from baseline until 3 months had passed from last patient reached complete wounds closure) and second analysis was performed after the last patient reached the 12 months follow-up visit.

A total of 175 subjects were randomizsed (Intend to Treat cohort) in a 3:3:1 ratio (medicinal product NexoBrid d:SOC: Gel Vehicle), and 169 subjects were treated.



Prince SOC treatment arm were treated with surgical and/or non-surgical SOC as per the investigators' discretion.

Overall subject demographics and wound baseline characteristics were comparable across the study arms. The age range in the group treated with this medicinal product NexoBrid was 18 to 75 years, 18 to 72 years in the SOC group and 18 to 70 years in the Gel Vehicle group. Sixteen patients  $\geq 65$  years old (9,1%) were included in the study. Seven (7) (9.3%)

patients in the medicinal productNexoBrid d arm, 5 (6.7%) patients in the SOC arm, and 4 (16%) patients in the gel vehicle arm. Mean age in all 3 arms was 41 years, and 65%, 79%, and 60% of subjects were male in the medicinal product NexoBrid, SOC and Gel Vehicle (placebo) arms, respectively. Target Wound (TW) was the burn area

to be treated (Eschar Removal) with medicinal product NexoBrid, SOC or Gel Vehicle. On a patient level, the mean % TBSA of TWs was 6.28% for patients in the NexoBrid treatment arm, 5.91% in SOC, and 6.53% in Gel Vehicle (average of 1.7 TWs per subject).

Primary endpoint was incidence of complete (>95%) eschar removal as compared with Gel Vehicle. Secondary endpoints included time to complete eschar removal, reduction in surgical burden, and debridement related blood loss as compared to SOC. Time to complete wound closure, long term cosmesis and function measures by the Modified Vancouver Scar Scale (MVSS) after the 12 months follow-up period were analysed as safety endpoints.

Incidence of Complete Eschar Removal in the DETECT Study

	NexoBrid	Gel Vehicle	P-value
	(ER/N)	( <b>ER/N</b> )	
Incidence of	93.3%	4.0%	p < 0.0001
complete	(70/75)	(1/25)	
eschar			
removal			

ER=Eschar removal

Compared to SOC, the medicinal product NexoBrid resulted in significant reductions in the incidence of surgical eschar removal (tangential/minor/avulsion/Versajet and/or dermabrasion excision), time to complete eschar removal, and actual blood loss related to eschar removal, as shown below. Similar efficacy of eschar removal was observed in the elderly population.

Incidence of surgical eschar excision, time to complete eschar removal, and blood loss in the DETECT study

	NexoBrid (N=75)	Standard of Care (N=75)	P-value
Incidence of surgical excision (number of subjects)	4.0% (3)	72.0% (54)	p < 0.0001



MediWound		NexoBrid	Standard of	P-value	
		(N=75)	Care (N=75)		
Media	an time to complete eschar val	1.0 days	3.8 days	p < 0.0001	
Blood	d loss related to eschar val <sup>a</sup>	14.2 ±512.4 mL	814.5 ±1020.3 mL	p < 0.0001	

<sup>&</sup>lt;sup>a</sup> Actual Blood Loss calculated using the method described in McCullough 2004:  $ABL = \frac{EBV*(Hb_{before}-Hb_{after})}{(Hb_{before}+Hb_{after})/2} + V_{WB} + \frac{5}{3}V_{PC}$ 

EBV= Estimated blood volume is assumed 70 cm $^3$ /kg\*weight (kg); (Hb<sub>before</sub>- Hb<sub>after</sub>) = Change in Hb during the eschar removal process; V<sub>WB</sub>= Volume [mL] of whole blood transfused during the eschar removal process; V<sub>PC</sub>= Volume [mL] of packed red blood cells transfused during the eschar removal process.

Long-term data (12 months)

The Phase 3 trial (DETECT) included long-term follow up to assess cosmesis and function. At 12 months, scar assessment using the Modified Vancouver Scar Score (MVSS) demonstrated comparable outcomes between <a href="the medicinal">the medicinal</a> <a href="productNexoBrid">productNexoBrid</a>, SOC, and Gel Vehicle, with mean scores of 3.70, 5.08, and 5.63, respectively. Statistical analyses indicated non-inferiority (pre-defined NI margin of 1.9 points) of <a href="the medicinal productNexoBrid">the medicinal productNexoBrid</a> treatment compared to SOC (p<0.0027).

Functionality and quality of life (QOL) measurements at 12 months were similar across treatment groups. The mean Lower Extremity Functional Scale (LEFS) scores were similar between the medicinal productNexoBrid and SOC (and slightly lower with Gel Vehicle). The mean QuickDASH scores were similar between SOC and Gel Vehicle and slightly lower with the medicinal productNexoBrid The results of range of motion (ROM) evaluations were similar for the medicinal productNexoBrid and SOC, with a higher percentage of patients with abnormal ROM scores in the Gel Vehicle group. Long-term QOL, as measured by EQ-5D VAS (visual analogue scale) and Burn Specific Health Scale-Brief (BSHS-B), was similar among treatment arms.

#### Cardiac safety:

In a cardiac safety sub study, the ECGs of up to 150 patients were used to evaluate potential effects of this medicinal product NexoBrid on ECG parameters. The study showed no clear effect of this medicinal product NexoBrid on heart rate, PR interval, QRS duration (cardiac depolariszation), and cardiac repolariszation (QTc). There were no new clinically relevant morphological ECG changes demonstrating a signal of concern

Study MW2004-02-11 (Phase 3)



This was a randomised, multi-centre, multi-national, open-label, confirmatory phase 3 study evaluating this medicinal product NexoBrid compared to SOC in hospitalised patients with deep partial- and/or full-thickness thermal burns of 5 to 30% TBSA, but with total burn

wounds of no more than 30% TBSA. The mean TW area treated in % TBSA was 5.1±3.5 for this medicinal productNexoBrid and 5.2±3.4 for SOC.

Standard of care consisted of primary surgical excision and/or nonsurgical debridement using topical medicinal products to induce maceration and autolysis of eschar according to each study site's standard practice.

The age range in the group treated with <u>this medicinal productNexoBrid</u> was 4.4 to 55.7 years. The age range in the SOC group was 5.1 to 55.7 years.

The efficacy of eschar removal was evaluated by determining the percentage of wound area left with eschar that required further removal by excision or dermabrasion, and the percentage of wounds requiring such surgical removal. The effect on the timing of eschar removal was evaluated in patients with successful eschar removal (with at least 90% eschar removal in all wounds of a patient combined), by determining the time from injury as well as from informed consent to successful removal.

The co-primary endpoints for the efficacy analysis were:

- the percentage of deep partial thickness wounds requiring excision or dermabrasion, and
- the percentage of deep partial thickness wounds autografted.

The second co-primary endpoint can only be evaluated for deep partial-thickness wounds without full-thickness areas because full-thickness burns always require grafting.

Efficacy data generated in this study for all age groups combined as well as from a subgroup analysis for children and adolescents are summarised below.



	NexoBrid	SOC	p-value	
Deep partial-thickness woun	ds requiring exci	ision/dermabrasion	(surgery)	
Number of wounds	106	88		
% of wounds requiring	15.1%	62.5%	< 0.0001	
surgery				
% of wound area excised or	$5.5\% \pm 14.6$	$52.0\% \pm 44.5$	< 0.0001	
$dermabraded^1 (mean \pm SD)$				
Deep partial-thickness woun	ds autografted*			
Number of wounds	106	88		
% of wounds autografted	17.9%	34.1%	0.0099	
% of wound area	$8.4\% \pm 21.3$	$21.5\% \pm 34.8$	0.0054	
autografted (mean $\pm$ SD)				
Deep partial- and/or full-thic	ckness wounds re	equiring excision/de	rmabrasion	
(surgery)				
Number of wounds	163	170		
% of wounds requiring	24.5%	70.0%	< 0.0001	
surgery				
% of wound area excised or	$13.1\% \pm 26.9$	$56.7\% \pm 43.3$	< 0.0001	
$dermabraded^1 (mean \pm SD)$				
Time to complete wound clo	sure (time from I	(CF**)		
Number of patients <sup>2</sup>	70	78		
Days to closure of last	$36.2 \pm 18.5$	$28.8 \pm 15.6$	0.0185	
wound (mean $\pm$ SD)				
Time to successful eschar re	moval			
Number of patients	67	73		
Days (mean $\pm$ SD) from	$2.2 \pm 1.4$	$8.7 \pm 5.7$	< 0.0001	
injury				
Days (mean $\pm$ SD) from	$0.8 \pm 0.8$	$6.7 \pm 5.8$	< 0.0001	
consent				
Patients not reported to have	7	8		
successful eschar removal				

Measured at first session, if there was more than one surgery session.
 All randomised patients for whom data for complete wound closure were available.

<sup>\*</sup>The endpoint can only be evaluated for deep partial-thickness wounds without fullthickness areas because full-thickness burns always require grafting.

<sup>\*\*</sup> Informed Consent Form



#### Long-term data

A multi-center, non-interventional, assessor-blinded study (MW2012-01-02) evaluated the long-term scar formation and quality of life in adults and children who participated in study MW2004-11-02.

A total of 89 subjects were enrolled into the study including 72 adults (>18) and 17 pediatric subjects. Comparison of baseline characteristics between subjects enrolled

into MW2012-01-02 and non-enrolled subjects indicated that the enrolled population is representative of the MW-2004-11-02 study population.

Scar assessment at 2-5 years using the MVSS demonstrated comparable outcomes between study groups with the mean total overall score of 3.12 and 3.38 for the medicinal productNexoBrid and SOC, respectively (p=0.88).

QOL was assessed in adults using the SF-36 questionnaire. Mean scores for the various parameters were similar in the medicinal product NexoBrid compared to SOC group. The overall physical component score (51.1 and 51.3, respectively) and the overall mental component score (51.8 vs. 49.1, respectively) were comparable between the medicinal product NexoBrid and SOC groups.

#### Paediatric population

Efficacy data generated in study MW2004-11-02 from a subgroup analysis for children and adolescents are summarised below. The available data are limited and this medicinal productNexoBrid should not be used in patients younger than 18 years.



	NexoBrid	SOC	p-value
Deep partial-thickness woun	ds requiring excis	sion/dermabrasion (s	surgery)
Number of wounds	23	22	
% of wounds requiring	21.7%	68.2%	0.0017
surgery			
% of wound area excised or	$7.3\% \pm 15.7\%$	$64.9\% \pm 46.4\%$	< 0.0001
$dermabraded^1 (mean \pm SD)$			
Deep partial-thickness woun	ds autografted*		
Number of wounds	23	22	
% of wounds autografted	21.7%	31.8%	0.4447
% of wound area	$6.1\% \pm 14.7\%$	$24.5\% \pm 40.6\%$	0.0754
autografted (mean $\pm$ SD)			
Deep partial- and/or full-thic	ekness wounds red	quiring excision/deri	mabrasion
(surgery)			
Number of wounds	29	41	
% of wounds requiring	20.7%	78%	< 0.0001
surgery			
% of wound area excised or	$7.9\% \pm 17.6\%$	$73.3\% \pm 41.1\%$	< 0.0001
dermabraded <sup>1</sup> (mean $\pm$ SD)			
Time to complete wound clos	sure (time from IC	CF**)	
Number of patients <sup>2</sup>	14	15	
Days to closure of last	$29.9 \pm 14.3$	$32.1 \pm 18.9$	0.6075
wound (mean $\pm$ SD)			
Time to successful eschar rea	noval		
Number of patients	14	15	
Days (mean $\pm$ SD) from	$1.9 \pm 0.8$	$8.1 \pm 6.3$	< 0.0001
injury			
Days (mean $\pm$ SD) from	$0.9 \pm 0.7$	$6.5 \pm 5.9$	< 0.0001
consent			
Patients not reported to have	0	1	
successful eschar removal			

<sup>&</sup>lt;sup>1</sup> Measured at first session, if there was more than one surgery session.

The European Medicines Agency has deferred the obligation to submit the results of studies with this medicinal productNexoBrid in one or more subsets of the paediatric

<sup>&</sup>lt;sup>2</sup> All randomised patients for whom data for complete wound closure were available.

<sup>\*</sup>The endpoint can only be evaluated for deep partial-thickness wounds without full-thickness areas because full-thickness burns always require grafting.

<sup>\*\*</sup> Informed Consent Form

Pooled phase 3 studies (studies MW2010-03-02 and MW2004-02-11)

#### Analysis of wound-closure data

In the DETECT (MW2010-03-02) study, measured mean time to complete wound closure was 29.35 days [SD 19.33] and 27.77 days [SD 19.83] SOC for the <u>medicinal productNexoBrid</u> and SOC treatment arms, respectively (estimated median time: 27 days <u>medicinal productNexoBrid</u> vs. 28 days SOC Non-inferiority = (7 day non-inferiority margin) of NexoBrid treatment arm compared to SOC was established (p=0.0003).

Results from pooled wound closure data from both phase 3 studies supported the non-inferiority of <a href="mailto:the-medicinal productNexoBrid">the medicinal productNexoBrid</a> compared with SOC based on a 7-day non-inferiority margin. Based on pooled data from the DETECT study and study MW2004-02-11, time to complete wound closure was slightly longer in the <a href="medicinal productNexoBrid">medicinal productNexoBrid</a> group than in the SOC group, when calculated using actual data (mean 31.7 days <a href="medicinal productNexoBrid">medicinal productNexoBrid</a> vs 29.8 days SOC) or estimated by the Kaplan-Meier method (median 30.0 days vs 25.0 days). Time to complete wound closure was less than 7 days longer with <a href="medicinal productNexoBrid">this medicinal productNexoBrid</a> than with SOC (p for non-inferiority=0.0006).

#### Serious adverse events:

Pooled analysis from phase 3 studies (studies MW2010-03-02 and MW2004-02-11 showed that the percentages of patients who experienced serious TEAEs were similar (<2% difference) in the <u>medicinal product</u>NexoBrid (8.5%; 15/177) and SOC (6.7%; 10/149) groups.

Serious TEAEs were most frequently reported within the system organ class of Infections and Infestations for both the <u>medicinal productNexoBrid</u> (2.8%) and SOC (2.7%) groups.

Only 2 events occurred in more than 1 patient (sepsis occurred in 3 patients in the <u>medicinal productNexoBrid</u> group and 1 patient in the SOC group, bacterial wound infection occurred in 2 patients in the <u>medicinal productNexoBrid</u> group and wound infection occurred in one patient in the SOC group).

Sepsis and bacteraemia related adverse events (serious and non-serious) were reported in similar incidence rate in <a href="medicinal productNexoBrid">medicinal productNexoBrid</a> and SOC groups: 2.8% in the <a href="medicinal productNexoBrid">medicinal productNexoBrid</a> and 2% in the SOC group.

#### **5.2** Pharmacokinetic properties

**Absorption** 

(DETECT), using the same bioanalytical method. The analyses were performed on serum NexoBrid concentration versus time data and number of treatment applications.

Following topical administration of <u>this medicinal product</u>NexoBrid, evidence of systemic serum exposure was observed in all patients. In general, NexoBrid appears to be rapidly absorbed, with a median  $T_{max}$  value of 4.0 hours (duration of treatment application). NexoBrid

exposure was observed with quantifiable serum concentrations through 48 hours post dose administration. When evaluated, a majority of patients had no quantifiable concentrations after 72 hours.

Exposure results from MW2008-09-03 and MW2010-03-02 studies are listed in the table below.

Not all patients had values beyond 4 hours, as such the AUC<sub>last</sub> values for some patients only cover 4 hours of exposure versus 48 hours of exposure for other patients. In both PK studies there was a statistically significant correlation between serum Cmax and AUC0-4 values versus dose or %TBSA, suggesting a dose / treatment area dependent increase in exposure. The depth of the <a href="medicinal productNexoBrid">medicinal productNexoBrid</a> treatedwound has negligible impact on systemic exposure.

## Summary of PK parameters $\!\!\!\!\!^*$ measured in all patients from studies MW2008-09-03 and MW2010-03-02

Study ID	N	T <sub>max</sub> Median (range) (h)	C <sub>max</sub> (ng/m L)	C <sub>max</sub> /Dos e (ng/mL/g	AUC <sub>0-4</sub> (h*ng/m L)	AUC <sub>0</sub> . 4/Dose (h*ng/m L/g)	AUC <sub>last</sub> (h*ng/m L)	AUC <sub>last</sub> / Dose (h*ng/m L/g)
Study M	Study MW2008-09-03							
	1 3	4.0 (0.50 - 4.1)	800±64 0	44.7±36.	1930±64 8 <sup>a</sup>	103±48.8	2760±28 70	149±147
Study M	Study MW2010-03-02							
	2	4.0 (0.50 - 12)	200±18 4 (Min=3 0.7) (Max=	16.4±11. 9	516±546	39.8±29.	2500±23 30	215±202
			`					

<sup>\*</sup>Values are reported as Mean  $\pm$  SD, which the exception of Tmax, which is reported as Median (Min-Max).

#### Distribution

According to a literature report, in plasma, approximately 50% of bromelain binds to the human plasma antiproteinases  $\alpha_2$ -macroglobulin and  $\alpha_1$ -antichymotrypsin.

#### Elimination

The mean elimination half-life values ranged between 12 and 17 hours, supporting the decreased presence of this medicinal product NexoBrid in serum at 72 hours post treatment.

#### Paediatric population

Pharmacokinetic parameters and the extent of absorption have not been studied in children.

#### 5.3 Preclinical safety data

This medicinal product did not cause significant irritation NexoBrid was well tolerated when applied to intact mini-pig skin but caused severe irritation and pain when applied to damaged (abraded) skin.

A single intravenous infusion of a solution prepared from NexoBrid powder in the mini-pig was well tolerated at dose levels of up to 12 mg/kg (achieving plasma levels 2.5fold of the human plasma level after application of the clinical proposed dosage to 15% TBSA) but higher doses were overtly toxic, causing haemorrhage in several tissues. Repeated intravenous injections of doses up to 12 mg/kg every third day in the mini-pig were well tolerated for the first three injections but severe clinical signs of toxicity (e.g. haemorrhages in several organs) were observed following the remaining three injections. Such effects could still be seen after the recovery period of 2 weeks.

In embryo-foetal development studies in rats and rabbits, intravenously administered this medicinal product NexoBrid revealed no evidence of indirect and direct toxicity to the developing embryo/foetus. However, maternal exposure levels were considerably lower than those maximally reported in clinical setting (10–500 times lower than human AUC, 3–50 times lower than the human Cmax). Since this medicinal product NexoBrid was poorly tolerated by the parent animals, these studies are not considered relevant for human risk assessment. NexoBrid showed no genotoxic activity when investigated in the standard set of in vitro and in vivo studies.



#### 6. PHARMACEUTICAL PARTICULARS

#### 6.1 List of excipients

#### Powder

NexoBrid powder
Ammonium sulphate
Acetic acid

Gel

Carbomer 980 disodium phosphate anhydrous Sodium hydroxide Water for injections

#### 6.2 Incompatibilities

Topically applied medicinal products (such as silver sulfadiazine or povidone-iodine) at the wound site must be removed and the wound cleansed prior to NexoBrid application. Remaining antibacterial medicinal products reduce the activity of NexoBrid by decreasing its efficacy.

This medicinal product must not be mixed with other medicinal products <u>except those</u> mentioned in section 6.6.

#### 6.6 Special precautions for disposal and other handling

There are reports of occupational exposure to bromelain leading to sensitisation. Sensitisation may have occurred due to inhalation of bromelain powder. Allergic reactions to bromelain include anaphylactic reactions and other immediate-type reactions with manifestations such as bronchospasm, angiooedema, urticaria, and mucosal and gastrointestinal reactions. When mixing this medicinal product NexoBrid powder with the gel, appropriate handling, including wearing of gloves and protective clothing as well as eye shielding glasses and a surgical mask, is required (see section 4.4) The powder should not be inhaled. See also section 4.42.

Accidental eye exposure must be avoided. In case of eye exposure, exposed eyes must be irrigated with copious amounts of water for at least 15 minutes. In case of skin exposure, this medicinal productNexoBrid must be rinsed off with water.



#### NexoBrid gGel preparation (mixing powder with gel)

- The NexoBrid powder and gel are sterile. An aseptic technique must be used when mixing the powder with the gel.
- The powder vial must be opened by carefully tearing off the aluminium cap and removing the rubber stopper.
- When opening the gel bottle, it must be confirmed that the tamper-evident ring is separating from the bottle's cap. If the tamper-evident ring was already separated from the cap before opening, the gel bottle must be discarded and another, new gel bottle used.
- The powder is then transferred into the corresponding gel bottle.
- Powder and gel must be mixed thoroughly until a uniform, slightly tan to slightly brown mixture is obtained. This usually requires mixing the powder and the gel for 1 to 2 minutes.
- The gel should be prepared at the patient's bedside.

Any unused medicinal product or waste material should be disposed of in accordance with local requirements.