

**Patient Safety
Information
Card**

**Remsima®
100 mg
I.V.
Infliximab**

**Show this card to any
physician involved
in your treatment.**

Pharma code area

**This Patient Safety Information
Card contains important safety
information that you need to be
aware of before and during
treatment with Remsima
100 mg I.V.**

Patient: _____

Physician: _____

Telephone no.: _____

It is important that you and your
physician record the brand name and
batch number of your medication.

Name of the preparation:

Batch number:



Date of Remsima 100 mg I.V. therapy
initiation:

Dates of administration in the current
cycle:

When starting a new card, please
keep this card for an extra four months
should you need to reference it.

Read the Remsima 100 mg I.V. 'Patient
Leaflet' carefully before you start using
this medicine.

Remsima 100 mg I.V. is a biosimilar
preparation. For further information
on biosimilar preparations, refer to the
Ministry of Health website:

[https://www.health.gov.il/UnitsOffice/
HD/MTI/Drugs/Registration/Pages/Bi
osimilars.aspx](https://www.health.gov.il/UnitsOffice/HD/MTI/Drugs/Registration/Pages/Biosimilars.aspx)

For your attention, the Ministry of
Health approved a one-time swap
between an original medicine and a
biosimilar, and vice versa. The doctor
will provide you an explanation about

the medicine and the meaning of the
swap. Any swap of a biological
medicine must be performed by the
treating doctor. The trade name of
the medicine that appears in the
prescription must be identical to the
trade name that appears on the
package of the medicine supplied to
you by the pharmacy. In any case of
doubt, refer to the pharmacist or
attending doctor.

Ask your physician to record the type
and date of the last tuberculosis (TB)
screening test below:

Test: _____ \ _____

Date: _____ \ _____

Result: _____ \ _____

List of known sensitivities (allergies):

List of other medicines you are taking:

REM 100 POWD SH270323



| Infections |

Before using Remsima

- Tell your physician if you have any infection.
- It is very important that you tell your physician if you have ever had tuberculosis (TB), or if you have been in close contact with someone who has or has had TB. Your physician will test you to see if you have TB. Ask your physician to record on your card the type and date of your last TB screening test.
- Tell your physician if you have hepatitis B or if you know or suspect that you are a carrier of the virus that causes this disease.

During treatment with Remsima

- Tell your physician straight away if you have signs of an infection. Signs include a fever, feeling tired, (persistent) cough, shortness of breath, weight loss, night sweats, diarrhoea, wounds, dental problems, burning when urinating or 'flu like' signs.

| Heart Problems |

Before using Remsima

- Tell your physician if you have any heart problems such as heart failure.

During treatment with Remsima

- Tell your physician straight away if you notice signs of a heart problem. Signs include shortness of breath, swelling of the feet or changes in your heartbeat.

| Pregnancy and Vaccinations |

In case you have received this medicine while you were pregnant, it is important that you inform the medical staff about it before your baby receives any vaccine. Your baby must not receive a "live vaccine" within the first 6 months after birth. Your baby must not receive BCG vaccine (intended to prevent tuberculosis) within the first 12 months after birth.

Side effects may occur a long time after receiving your last dose.

Side effects can be reported to the Ministry of Health by clicking on the link "Report Side Effects of Drug Treatment" found on the Ministry of Health homepage (www.health.gov.il), that directs you to the online form for reporting side effects, or by entering the link:

<https://sideeffects.health.gov.il>

In addition, you can report to Padagis via the following address:

padagis.co.il

Approved in April 2023
according to the Ministry
of Health