



Patient package insert in accordance  
with the Pharmacists' Regulations  
(Preparations) - 1986

Non-prescription medicine

## SPIRIT SALICYL 2%

Liquid

# FLORIS

### Composition:

**Active substances and its concentration:**  
Salicylic acid 2%

**For the list of the inactive substances:**  
See Section 6 "Additional information".

**Read the insert carefully to the end  
before using the medication.**

This insert contains abridged information  
on the medicine.

If you have further questions, consult  
your doctor or pharmacist.

Use the preparation correctly.

Consult your pharmacist if you require  
additional information.

### 1. What the medicine is used for ?

This medicine is indicated for skin  
disinfection and scaling skin.

**Therapeutic Group** - Keratolytic

preparation from the salicylate group

### 2. Before using the medicine

#### Do not use the medicine:

- If you are sensitive (allergic) to the active substance or to any of the additional ingredients contained in the medicine. For the list of the inactive substances - see Section 6 "Additional information"
- Do not apply to a large skin area, wounded skin, vitiligo, birthmarks and hairy warts

### Special warnings concerning use of the medicine:

- Avoid contact with the eyes, mucous membranes. In case of such contact, rinse thoroughly with water.
- Do not use concomitantly with skin drying preparations such as alcohol-based preparations, soaps or preparations for acne.
- Do not light a cigarette or expose yourself to an open flame until the preparation is fully dried.

### Before treatment with Spirit Salicyl 2%, tell your doctor if:

- If you suffer from diabetes.
- If you are sensitive to any food or medicine.

If you are taking, or recently took, other medicines, including over the counter medicines and dietary supplements, inform your doctor or pharmacist.

### Pregnancy and breast-feeding:

If you are in the first/last trimester of pregnancy or if you are breast-feeding, consult your doctor or pharmacist before using the medicine.

### Use on children:

The medicine is not generally indicated for children and infants under two years of age. Parents must inform the attending physician of any side effect and any other medicine being taken by the child.

### Important information about some of the ingredients of the medicine:

Contains alcohol, flammable substance.

### 3. How to use the medicine?

Ask your doctor or pharmacist if you are not sure.

### The recommended dosage unless otherwise instructed by the doctor:

Rinse and dry the skin. Apply to the skin with cotton wool imbibed with the medicine, 1-3 times a day.

### Do not exceed the recommended dosage.

**Do not swallow.** For external use only. If you have taken an overdose or if a child has accidentally swallowed the medicine, go immediately to a doctor or a hospital emergency room and bring the medicine package with you.

Do not take medicines in the dark!  
Check the label and the dose each time you take your medicine.

Wear glasses if you need them.

If you have further questions concerning use of the medicine refer to your doctor or pharmacist.

### 4. Side Effects:

As for any medicine, the use of Spirit Salicyl 2% may cause side effects in some users. Do not be alarmed by the list of side effects. You will probably not suffer from any of them.

### Stop treatment and refer to your doctor:

- Inflammation or local irritation (rare).

### Other Side Effects: Rash.

If one of the side effects becomes more serious, or you suffer from a side effect not mentioned in the insert, consult your doctor. You can report side effects to the Ministry of Health through the online form for reporting side effects that you will find on the homepage of the Ministry of Health website: [www.health.gov.il](http://www.health.gov.il) or by clicking on the link <https://sideeffects.health.gov.il>

### 5. How to store the medicine?

#### • Avoid poisoning!

This medicine, and all other medicine, must be stored in a safe place out of the reach of children and/or infants, in order to avoid poisoning.

Do not induce vomiting unless explicitly instructed to do so by the doctor.

- Do not use the medicine after the expiry date appearing on the package.

The expiry date refers to the last day of that month.

- Store in a cool place, below 25°C.

- Close tightly.

- Warning! Flammable substance, keep away from fire.

- Store in the original package.

- You can use the product after opening until expiry of its validity.

### 6. Additional information

**In addition to the active substances the medicine also contains:**

Alcohol, Purified water .

**Appearance of the medicine and contents of the package:**

Clear alcohol solution.

Contents: 100 ml.

### **Manufacturer and Reg. Owner:**

Ben-Shimon Floris Ltd., Misgav Industrial Park, D.N. Misgav 2017400.

This leaflet was revised in 05.2023 according to the Ministry of Health guidelines.

Registration No. of the medicine in the National Drug Register of the Ministry of Health: 609227486