

**PATIENT PACKAGE INSERT IN ACCORDANCE WITH THE  
PHARMACISTS' REGULATIONS (PREPARATIONS) – 1986**

**Read this package insert carefully  
in its entirety before using this medicine.**

The format of this leaflet was determined by the Ministry of Health and its content was checked and approved

# LEMOCIN

LOZENGES – CHERRY/LEMON FLAVORED

## Composition:

**Each lozenge contains:**

**Active ingredient and its quantity:**

Lidocaine	1.00 mg
Tyrothricin	4.00 mg
Cetrimonium Bromide	2.00 mg

## Inactive Ingredients:

**Lemocin lozenges – Lemon Flavored:**

Sorbitol, Citric Acid, Talc, Lemon Flavoring, powdered, Guar Gum, Quinoline, Yellow Lake, Magnesium Stearate, Silicic Acid Colloidal, Saccharin Sodium, Green ZLT 601 Lake, Peppermint Flavoring, powdered.

**Lemocin lozenges – Cherry Flavored:**

Sorbitol, Guar Gum, Citric Acid anhydrous, Talc, Polyvinylpyrrolidone, Saccharin Sodium, Magnesium Stearate, Cherry Flavoring, Iron Oxide Pigment Red.

## Therapeutic group:

Lidocaine – local anesthetic  
Tyrothricin – antibiotic  
Cetrimonium bromide – antiseptic

## Therapeutic activity:

For the relief of pain associated with severe sore throat and mouth infections.

## When should the preparation not be used?

Do not use this medicine if you are sensitive to any of its ingredients.
--

## Warnings:

Do not use this medicine frequently or for a long period of time without consulting your doctor.

If you are sensitive to any type of food or medicine, inform your doctor before commencing treatment with this medicine.

## Drug interactions:

If you are taking another drug concomitantly, or if you have just finished treatment with another medicine, inform the attending doctor, in order to prevent hazards or lack of efficacy arising from drug interactions.

## Side effects:

In addition to the desired effect of the medicine, adverse reactions may occur during the course of taking this medicine.

## Side effects which require special attention:

Irritation, rash or local inflammation (which were not present before using this preparation) - (rare): discontinue treatment and refer to your doctor.  
In the event that you experience side effects not mentioned in this leaflet, or if there is a change in your general health, consult your doctor immediately.

## Recommended dosage unless otherwise prescribed by your doctor:

For mild to moderate sore throat: one lozenge every 2-3 hours.

For severe sore throat: one lozenge every hour.

Do not exceed the maximum of 12 lozenges a day.

When sold outside of pharmacies the medication is intended for adults and children over 12 years of age.

Do not exceed the recommended dosage.

Permitted for use in diabetic patients.

If there is no improvement in your condition within two days, refer to your doctor.

Severe sore throat, prolonged or accompanied by fever, headache or nausea and vomiting, requires immediate medical consultation.

## Attention:

Do not eat for an hour after taking a lozenge (the local anesthetic may affect swallowing or cause biting of the tongue).

## Directions for use:

Do not chew or break the lozenge. Suck the lozenge slowly and repeat as needed.

Do not brush your teeth immediately before or after taking a lozenge as this may reduce the efficacy of this preparation.

## Avoid poisoning!

This medicine, and all other medicines, must be stored in a safe place out of the reach of children and/or infants, to avoid poisoning.

If you have taken an overdose, or if a child has accidentally swallowed this medicine, proceed immediately to a hospital emergency room and bring the package of the medicine with you.

Do not induce vomiting unless explicitly instructed to do so by a doctor!

Do not take medicines in the dark! Check the label and the dose each time you take your medicine. Wear glasses if you need them.

**Storage:** Store below 25°C and protect from light and moisture.

Even if kept in their original container and stored as recommended, medicines may be kept for a limited period only. Please note the expiry date of the medicine!

In case of doubt, consult the pharmacist who dispensed the medicine to you.

Do not store different medications in the same package.

## Drug registration number:

Lemocin lozenges - Lemon: 1178029908

Lemocin lozenges - Cherry: 1177929907

## Manufacturer:

STADA Arzneimittel AG, Stadastrasse 2-18, 61118 Bad-Vilbel, Germany

## License holder:

Devries & Co. Ltd., 32 Habarzel st., Tel-Aviv

Revised in May 2021.

DVLEMP1120

